

DNP Ribbons for Intermec Printers

| Printer Type | Ribbon Formulation | DNP Pitts Item# | Width (mm) | Length (m) | Width (in) | Length (ft) | Ink IN/OUT | MTO/ MTS | Rolls per carton | Approx Case Weight |
|---------------------|-------------------------------|-----------------|------------|------------|------------|-------------|------------|----------|------------------|--------------------|
| Intermec | R510 Ultra Durable Resin | 18105863 | 53 | 153 | 2.087 | 501.97 | OUT | MTO | 36 | 6.43 |
| Intermec 3240 | M260 Ultra Durable Wax/Resin | 18105972 | 64 | 153 | 2.52 | 501.97 | OUT | MTO | 36 | 8.23 |
| Intermec 3240 | R510 Ultra Durable Resin | 18104098 | 33 | 155 | 1.299 | 508.53 | OUT | MTO | 48 | 9.02 |
| Intermec 3240 | TR4070 Specialty Resin | 18100042 | 50.8 | 153 | 2 | 501.97 | OUT | MTO | 48 | 10.99 |
| Intermec 3400, 8646 | M260 Ultra Durable Wax/Resin | 18106010 | 76.2 | 153 | 3 | 501.97 | OUT | MTO | 24 | 0.65 |
| Intermec 3400, 8646 | M260 Ultra Durable Wax/Resin | 18105419 | 104 | 155 | 4.094 | 508.53 | OUT | MTO | 24 | 9.01 |
| Intermec 3400, 8646 | R300 GEN Purpose Resin | 18105384 | 53 | 155 | 2.087 | 508.53 | OUT | MTO | 36 | 5.64 |
| Intermec 3400, 8646 | R300 GEN Purpose Resin | 18105832 | 64 | 155 | 2.52 | 508.53 | OUT | MTO | 24 | 4.54 |
| Intermec 3400, 8646 | R300 GEN Purpose Resin | 18105376 | 83 | 153 | 3.268 | 501.97 | OUT | MTO | 24 | 5.83 |
| Intermec 3400, 8646 | R300 GEN Purpose Resin | 18105366 | 104 | 155 | 4.094 | 508.53 | OUT | MTO | 24 | 7.38 |
| Intermec 3400, 8646 | R316 Resin | 18105397 | 104 | 155 | 4.094 | 508.53 | OUT | MTO | 24 | 8.60 |
| Intermec 3400, 8646 | R510 Ultra Durable Resin | 18105295 | 104 | 155 | 4.094 | 508.53 | OUT | MTO | 24 | 8.41 |
| Intermec 3400, 8646 | R510 WHITE | 18105667 | 104 | 153 | 4.094 | 501.97 | OUT | MTO | 24 | 10.62 |
| Intermec 3400, 8646 | Signature Series Wax | 61335100123 | 104 | 155 | 4.094 | 508.53 | OUT | MTS | 24 | 12.00 |
| Intermec 3400, 8646 | TR4070 Specialty Resin | 17164083 | 104 | 155 | 4.094 | 508.53 | OUT | MTS | 24 | 12.00 |
| Intermec 3400, 8646 | TR4085plus Resin Enhanced Wax | 18100583 | 53 | 155 | 2.087 | 508.53 | OUT | MTS | 36 | 11.99 |
| Intermec 3400, 8646 | TR4085plus Resin Enhanced Wax | 18103989 | 53 | 155 | 2.087 | 508.53 | OUT | MTO | 36 | 11.99 |
| Intermec 3400, 8646 | TR4085plus Resin Enhanced Wax | 18100566 | 76.2 | 155 | 3 | 508.53 | OUT | MTS | 36 | 14.00 |
| Intermec 3400, 8646 | TR4085plus Resin Enhanced Wax | 18100566-6 | 76.2 | 155 | 3 | 508.53 | OUT | MTO | 6 | 3.00 |
| Intermec 3400, 8646 | TR4085plus Resin Enhanced Wax | 18100786 | 83 | 155 | 3.268 | 508.53 | OUT | MTO | 36 | 15.01 |
| Intermec 3400, 8646 | TR4085plus Resin Enhanced Wax | 18100284 | 104 | 155 | 4.094 | 508.53 | OUT | MTS | 24 | 12.00 |
| Intermec 3400, 8646 | TR4085plus Resin Enhanced Wax | 18100284-6 | 104 | 155 | 4.094 | 508.53 | OUT | BIN | 6 | 4.00 |
| Intermec 3400, 8646 | TR4085plus Resin Enhanced Wax | 18100585 | 104 | 155 | 4.094 | 508.53 | OUT | MTS | 24 | 12.00 |
| Intermec 3400, 8646 | TR4085plus Resin Enhanced Wax | 18100585-6 | 104 | 155 | 4.094 | 508.53 | OUT | BIN | 6 | 4.00 |
| Intermec 3400, 8646 | TR4085plus Resin Enhanced Wax | 18105878 | 104 | 170 | 4.094 | 557.74 | OUT | MTO | 12 | 5.21 |
| Intermec 3400, 8646 | TR5080 Premium Wax/Resin | 18102162 | 104 | 155 | 4.094 | 508.53 | OUT | MTO | 24 | 12.00 |
| Intermec 3400, 8646 | TRX-50 Gen Purpose Wax/Resin | 18106136 | 53 | 155 | 2.087 | 508.53 | OUT | MTO | 36 | 7.36 |
| Intermec 3400, 8646 | TRX-50 Gen Purpose Wax/Resin | 18102659 | 83 | 153 | 3.268 | 501.97 | OUT | MTO | 24 | 10.01 |
| Intermec 3400, 8646 | TRX-50 Gen Purpose Wax/Resin | 18100501 | 104 | 155 | 4.094 | 508.53 | OUT | MTS | 24 | 12.00 |
| Intermec 3400, 8646 | TRX-55 Premium Wax/Resin | 18104985 | 76.2 | 153 | 3 | 501.97 | OUT | MTO | 24 | 6.83 |
| Intermec 3400, 8646 | TRX-55 Premium Wax/Resin | 18105714 | 83 | 153 | 3.268 | 501.97 | OUT | MTO | 24 | 7.44 |
| Intermec 3400, 8646 | TRX-55 Premium Wax/Resin | 18105776 | 89 | 153 | 3.504 | 501.97 | OUT | MTO | 24 | 7.97 |
| Intermec 3400, 8646 | TRX-55 Premium Wax/Resin | 18104986 | 104 | 155 | 4.094 | 508.53 | OUT | MTO | 24 | 9.42 |
| Intermec 3400, 8646 | TRX-55 Premium Wax/Resin | 18104987 | 104 | 155 | 4.094 | 508.53 | OUT | MTO | 24 | 9.42 |

DNP Ribbons for Intermec Printers

| Printer Type | Ribbon Formulation | DNP Pitts Item# | Width (mm) | Length (m) | Width (in) | Length (ft) | Ink IN/OUT | MTO/ MTS | Rolls per carton | Approx Case Weight |
|---------------------|-------------------------------|-----------------|------------|------------|------------|-------------|------------|----------|------------------|--------------------|
| Intermec 3440 | R316 Resin | 18105774 | 40 | 153 | 1.575 | 501.97 | OUT | MTO | 48 | 6.55 |
| Intermec 3440 | R510 Ultra Durable Resin | 18105751 | 76.2 | 153 | 3 | 501.97 | OUT | MTO | 36 | 9.24 |
| Intermec 3440 | TR4070 Specialty Resin | 18100043 | 76.2 | 153 | 3 | 501.97 | OUT | MTO | 24 | 9.00 |
| Intermec 3440 | TR4085plus Resin Enhanced Wax | 18105689 | 83 | 153 | 3.268 | 501.97 | OUT | MTO | 36 | 11.39 |
| Intermec 3440 | TR4085plus Resin Enhanced Wax | 18103697 | 106 | 153 | 4.173 | 501.97 | OUT | MTO | 24 | 12.00 |
| Intermec 3600 | M260 Ultra Durable Wax/Resin | 18105731 | 130 | 153 | 5.118 | 501.97 | OUT | MTO | 24 | 11.14 |
| Intermec 3600 | M260 Ultra Durable Wax/Resin | 18105420 | 152.4 | 153 | 6 | 501.97 | OUT | MTO | 24 | 13.06 |
| Intermec 3600 | R300 GEN Purpose Resin | 18104795 | 106 | 155 | 4.173 | 508.53 | OUT | MTO | 24 | 10.01 |
| Intermec 3600 | R316 Resin | 18105772 | 140 | 153 | 5.512 | 501.97 | OUT | MTO | 24 | 11.46 |
| Intermec 3600 | R350 Permanent Care Resin | 18105778 | 110 | 153 | 4.331 | 501.97 | OUT | MTO | 24 | 8.90 |
| Intermec 3600 | TR4085plus Resin Enhanced Wax | 18103996 | 110 | 153 | 4.331 | 501.97 | OUT | MTO | 24 | 12.00 |
| Intermec 3600 | TR4085plus Resin Enhanced Wax | 18105862 | 130 | 153 | 5.118 | 501.97 | OUT | MTO | 24 | 11.90 |
| Intermec 3600 | TR4085plus Resin Enhanced Wax | 18100461 | 140 | 153 | 5.512 | 501.97 | OUT | MTO | 24 | 15.00 |
| Intermec 3600 | TR4085plus Resin Enhanced Wax | 18105759 | 152.4 | 153 | 6 | 501.97 | OUT | MTO | 24 | 13.95 |
| Intermec 3600 | TR4085plus Resin Enhanced Wax | 18100494 | 165.1 | 155 | 6.5 | 508.53 | OUT | MTS | 12 | 9.00 |
| Intermec 3600 | TR4085plus Resin Enhanced Wax | 18101430 | 171 | 155 | 6.732 | 508.53 | OUT | MTS | 12 | 10.00 |
| Intermec 3600 | TRX-50 Gen Purpose Wax/Resin | 18102823 | 171 | 155 | 6.732 | 508.53 | OUT | MTO | 12 | 10.00 |
| Intermec 3600 | TRX-55 Premium Wax/Resin | 18104988 | 152.4 | 153 | 6 | 501.97 | OUT | MTO | 12 | 6.83 |
| Intermec 3600 | TRX-55 Premium Wax/Resin | 18104989 | 171 | 155 | 6.732 | 508.53 | OUT | MTO | 12 | 7.74 |
| Intermec 4000, 4100 | TRX-50 Gen Purpose Wax/Resin | 18105666 | 83 | 305 | 3.268 | 1,000.66 | IN | MTO | 24 | 13.97 |
| Intermec 4400 | R300 GEN Purpose Resin | 18105379 | 106 | 457 | 4.173 | 1,499.34 | OUT | MTO | 24 | 19.26 |
| Intermec 4400 | TR4070 Specialty Resin | 17158062 | 64 | 457 | 2.52 | 1,499.34 | OUT | MTO | 18 | 14.99 |
| Intermec 4400 | TR4085plus Resin Enhanced Wax | 18100283 | 91 | 457 | 3.583 | 1,499.34 | OUT | MTO | 18 | 22.00 |
| Intermec 4400 | TR4085plus Resin Enhanced Wax | 18100587 | 106 | 457 | 4.173 | 1,499.34 | OUT | MTS | 18 | 23.99 |
| Intermec 4400 | TR4085plus Resin Enhanced Wax | 18100587-6 | 106 | 457 | 4.173 | 1,499.34 | OUT | MTO | 6 | 10.00 |
| Intermec 4400 | TR4085plus Resin Enhanced Wax | 18105601 | 106 | 457 | 4.173 | 1,499.34 | OUT | MTO | 24 | 25.99 |
| Intermec 4400 | TR4085plus Resin Enhanced Wax | 18100588 | 114.3 | 457 | 4.5 | 1,499.34 | OUT | MTS | 18 | 25.00 |
| Intermec 4400 | TR4085plus Resin Enhanced Wax | 18100588-6 | 114.3 | 457 | 4.5 | 1,499.34 | OUT | MTO | 6 | 9.00 |
| Intermec 4400 | TRX-50 Gen Purpose Wax/Resin | 18100568 | 91 | 457 | 3.583 | 1,499.34 | OUT | MTO | 18 | 22.00 |
| Intermec 4400 | TRX-50 Gen Purpose Wax/Resin | 18100552 | 106 | 457 | 4.173 | 1,499.34 | OUT | MTS | 18 | 23.99 |
| Intermec 4400 | TRX-50 Gen Purpose Wax/Resin | 18101519 | 110 | 457 | 4.331 | 1,499.34 | OUT | MTO | 18 | 25.00 |
| Intermec 4400 | TRX-55 Premium Wax/Resin | 18104256 | 106 | 457 | 4.173 | 1,499.34 | OUT | MTO | 18 | 23.99 |
| Intermec 4420/4440 | M260 Ultra Durable Wax/Resin | 18105576 | 106 | 457 | 4.173 | 1,499.34 | OUT | MTO | 24 | 24.16 |
| Intermec 4420/4440 | R300 GEN Purpose Resin | 18104245 | 53 | 457 | 2.087 | 1,499.34 | OUT | MTO | 24 | 9.63 |

DNP Ribbons for Intermec Printers

| Printer Type | Ribbon Formulation | DNP Pitts Item# | Width (mm) | Length (m) | Width (in) | Length (ft) | Ink IN/OUT | MTO/ MTS | Rolls per carton | Approx Case Weight |
|--------------------|-------------------------------|-----------------|------------|------------|------------|-------------|------------|----------|------------------|--------------------|
| Intermec 4420/4440 | R300 GEN Purpose Resin | 18105224 | 104 | 450 | 4.094 | 1,476.38 | OUT | MTO | 24 | 18.63 |
| Intermec 4420/4440 | R316 Resin | 18105057 | 106 | 457 | 4.173 | 1,499.34 | OUT | MTO | 24 | 22.93 |
| Intermec 4420/4440 | Signature Series Wax | 61335100233 | 104 | 458 | 4.094 | 1,502.62 | OUT | MTO | 24 | 27.00 |
| Intermec 4420/4440 | Signature Series Wax | 61335100230 | 106 | 457 | 4.173 | 1,499.34 | OUT | MTO | 24 | 28.01 |
| Intermec 4420/4440 | TR4085plus Resin Enhanced Wax | 18104127 | 76.2 | 457 | 3 | 1,499.34 | OUT | MTO | 24 | 21.00 |
| Intermec 4420/4440 | TR4085plus Resin Enhanced Wax | 18105013 | 80 | 457 | 3.15 | 1,499.34 | OUT | MTO | 24 | 19.62 |
| Intermec 4420/4440 | TR4085plus Resin Enhanced Wax | 18105810 | 89 | 457 | 3.504 | 1,499.34 | OUT | MTO | 24 | 21.82 |
| Intermec 4420/4440 | TR4085plus Resin Enhanced Wax | 18105525 | 104 | 458 | 4.094 | 1,502.62 | OUT | MTO | 24 | 25.56 |
| Intermec 4420/4440 | TR4085plus Resin Enhanced Wax | 18102594 | 106 | 457 | 4.173 | 1,499.34 | OUT | MTS | 24 | 28.01 |
| Intermec 4420/4440 | TR4085plus Resin Enhanced Wax | 18105136 | 114.3 | 458 | 4.5 | 1,502.62 | OUT | MTO | 24 | 28.03 |
| Intermec 4420/4440 | TRX-50 Gen Purpose Wax/Resin | 18103688 | 64 | 457 | 2.52 | 1,499.34 | OUT | MTO | 24 | 19.99 |
| Intermec 4420/4440 | TRX-50 Gen Purpose Wax/Resin | 18103319 | 106 | 457 | 4.173 | 1,499.34 | OUT | MTO | 24 | 28.01 |
| Intermec PF2I,PF4I | R316 Resin | 18105886 | 53 | 153 | 2.087 | 501.97 | IN | MTO | 48 | 8.68 |
| Intermec PF8 | R300 GEN Purpose Resin | 18105626 | 83 | 305 | 3.268 | 1,000.66 | OUT | MTO | 24 | 10.45 |
| Intermec PF8 | TR4085plus Resin Enhanced Wax | 18105903 | 60 | 275 | 2.362 | 902.23 | OUT | MTO | 36 | 13.79 |